

Patch Cords

The Telecom patch cord, manufactured according to EIA/TIA-568B, have properties superior to what

CAT.5e & CAT.6 required. The characteristics of these patch cords include: high reliability, self-lock, and easy to mate. The mating cycles of the jumpers are not less than 1000 times for the plated thickness is 50 u"(inch). These patch cords are mainly applied to connecting equipment, distributor.

Cat.6 RJ45 unshielded Patch Cords

Serial number	Length(M)	Color	Packaging(/box)
A5-1108	1.0	Gray	100
A5-1158	1.5	Gray	100
A5-1208	2.0	Gray	100
A5-1308	3.0	Gray	100
A5-1508	5.0	Gray	100



Cat.5e RJ45 shielded Patch Cords

Serial number	Length(M)	Color	Packaging(/box)
A5-2108	1.0	Gray	100
A5-2158	1.5	Gray	100
A5-2208	2.0	Gray	100
A5-2308	3.0	Gray	100
A5-2508	5.0	Gray	100



Cat.6 RJ45 unshield Patch Cords

Serial number	Length(M)	Color	Packaging(/box)
A6-1108	1.0	Gray	100
A6-1158	1.5	Gray	100
A6-1208	2.0	Gray	100
A6-1308	3.0	Gray	100
A6-1508	5.0	Gray	100



Cat.6 Rj 45 shielded Patch Cords

Serial number	Length(M)	Color	Packaging(/box)
A6-2108	1.0	Gray	100
A6-2158	1.5	Gray	100
A6-2208	2.0	Gray	100
A6-2308	3.0	Gray	100
A6-2508	5.0	Gray	100

